

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1160	((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10:(client location))and (handoff handover) and ((WAP) (gateway server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 16:21
S2	26	((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location))and (handoff handover) and ((WAP) (gateway server))) and ((insert\$5 provid\$5 get\$5 collect\$5 obtain\$4 gather\$5) near5 (client PDA cell mobile) near10 (code signature flag))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 14:50
S3	41300	((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10:(client location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 11:43
S4	21484	((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5)near3 (mobile cell PDA) near10 (client location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 11:44
S5	5460	(collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5)near3 ((mobile cell PDA) adj (client location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 11:45
S7	11	((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5)adj((mobile cell PDA) adj (client location))) and (WAP (wireless adj application adj rotocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 12:50
S8	2	"6594666".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 12:05
S9	21	(collect\$5 gather\$5 obtain\$5)adj((mobile cell PDA) adj (client location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 12:13
S10	421	(location position) near10 (dependent) near5 (servic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 12:50
S11	71	((location position) near10 (dependent) near5 (servic\$4)) and (WAP (wireless adj application adj rotocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:01
S12	11	(Location adj token) and ((collect\$5 request\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10:(client location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 13:18
S13	181	Location adj token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 14:58
S14	3	(Location adj token) and (WAP (wireless adj application adj rotocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 13:11
S15	0	"2002/0155844".PN.	USPAT	OR	OFF	2005/04/29 14:10

S16	0	"2002/0155844".PN.	USPAT	OR	OFF	2004/04/28 13:12
S17	0	"2002/0155844".PN.	USPAT	OR	OFF	2004/04/28 13:12
S18	0	"2002/0155844".PN.	USPAT	OR	OFF	2004/04/28 13:12
S19	0	"2002/0155844".PN.	USPAT	OR	OFF	2004/04/28 13:12
S20	0	"2002/0049537".PN.	USPAT	OR	OFF	2004/04/28 13:12
S21	1	"6012014".PN.	USPAT	OR	OFF	2004/04/28 13:12
S22	1	"5305217".PN.	USPAT	OR	OFF	2004/04/28 13:13
S23	1	"6389289".PN.	USPAT	OR	OFF	2004/04/28 13:14
S24	0	((collect\$5 request\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) near10((multiple) adj (severs devices gateway proxy)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 13:20
S25	0	((collect\$5 request\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) near10((multiple) adj (severs devices gateway proxy)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 13:20
S26	0	((collect\$5 request\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) near10((multiple) adj (servers devices gateway proxy)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 13:20
S27	4	((collect\$5 request\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) near10((multiple) adj (servers devices gateway proxy)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 13:21
S28	9	((collect\$5 request\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) near10((multiple plurality) adj (servers devices gateway proxy)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 13:44
S29	407	(collect\$5 request\$5 obtain\$5) near5 ((mobile cell PDA) adj (client location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 14:33
S30	42	((collect\$5 request\$5 obtain\$5) near5 ((mobile cell PDA client) adj (location))) and ((insert\$ include\$4) near5 (information location coordinate) near5 (URL token communication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 14:32
S31	1	(location adj command) and (signature adj code) and ((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 14:30
S32	1	(location adj command) and (signature adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 14:30
S33	369	(collect\$5 request\$5 obtain\$5) near5 ((mobile cell PDA client) adj (location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 14:32
S34	14291	((insert\$ include\$4) near5 (information location coordinate) near5 (URL token communication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:17

S35	26	((insert\$ include\$4) near5 (information location coordinate) near5 (URL token communication))) and (collect\$5 request\$5) near5 ((mobile cell PDA) adj (client location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 14:34
S36	734	((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location))and (handoff handover) and ((WAP) (gateway server))) and "455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 14:50
S37	2	((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location))and (handoff handover) and ((WAP) (gateway server))) and "455"/\$.ccls.) and ((insert\$5) near5 (client PDA cell mobile) near10 (code signature flag))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 14:55.
S38	0	((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location))and (handoff handover) and ((WAP) (gateway server))) and "455"/\$.ccls.) and ((insert\$5) near3 (location) near10 (code signature flag))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 14:56
S39	1925	(insert\$5 includ\$4) near3 ((location)and ((code adj signature) flag))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:01
S40	10	((insert\$5 includ\$4) near3 ((location)and ((code adj signature) flag))) and (Location adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:31
S41	117860	(find\$5 locat\$5) near10 (mobile cell PDA (mobile adj station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:32
S42	1424	((find\$5 locat\$5) near10 (mobile cell PDA (mobile adj station))) and ((intermediary gateway (wap adj gateway)) near3 (server station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 16:04
S43	33	((find\$5 locat\$5) near10 (mobile cell PDA (mobile adj station))) and ((intermediary gateway (wap adj gateway)) near3 (server station))) and ((insert\$ include\$4) near5 (token (signature adj code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:31
S44	1	((find\$5 locat\$5) near10 (mobile cell PDA (mobile adj station))) and ((intermediary gateway (wap adj gateway)) near3 (server station))) and ((insert\$ include\$4) near5 ((signature adj code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:31
S45	17194	(find\$5 locat\$5) adj (mobile cell PDA (mobile adj station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:32
S46	93	((find\$5 locat\$5) adj (mobile cell PDA (mobile adj station))) and ((intermediary gateway (wap adj gateway)) adj (server station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:58
S47	2	"5628051".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:29

S48	2	"6091958".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:55
S49	3	"6075993".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:56
S50	2	"6061561".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 15:56
S51	8	((find\$5 locat\$5) adj (mobile cell PDA (mobile adj station))) and ((intermediary) adj (server station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 16:00
S52	2	"6628938".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 16:03
S53	219	(determin\$5) near3 (current) near3 (location) near3 (cell pda mobile WAP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 16:29
S54	13	((determin\$5) near3 (current) near3 (location) near3 (cell pda mobile WAP)) and ((intermediary gateway (wap adj gateway)) near3 (server station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 16:04
S55	1	((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location)) and (handoff handover) and ((WAP) (gateway server))) and (location) adj (resolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 16:25
S56	14	((location) adj (resolution)) and command and intermediary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 16:29
S57	0	((location) adj (resolution))) and (determin\$5) near3 (current) near3 (location) near3 (cell pda mobile WAP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 16:30
S58	389	((location) adj (resolution))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 16:30
S59	1	((location) adj (resolution))) and (Location adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/28 16:30
S60	101	((location) adj (resolution))) and (Location adj information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 08:25

S61	1	(09/759740) and (Hutsch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 08:25
S62	1	"6163701".pn.	USPAT	OR	OFF	2004/04/30 09:29
S63	1	"6259923".pn.	USPAT	OR	OFF	2004/04/30 09:30
S64	1	"6542819".pn.	USPAT	OR	OFF	2004/04/30 10:17
S65	1	"6446117".pn.	USPAT	OR	OFF	2004/04/30 10:17
S66	2	"6163701".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:22
S67	2235	(insert\$5 includ\$4) near3 (location) near5 ((code signature flag token))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:33
S68	121	(insert\$5 includ\$4) near3 (location) near5 ((token))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:01
S69	4	(insert\$5 includ\$4) near3 (location) near5 ((token)) and (WAP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:43
S70	7	(insert\$5 includ\$4 request\$5 demand\$5) near3 (location) near5 ((token)) and (WAP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:44
S71	1398	(collect\$5 request\$5 insert\$5 includ\$5) near3 (cell) near4 (ID identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:02
S72	103	(collect\$5 request\$5 insert\$5 includ\$5) adj (cell) adj (ID identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:39
S73	1	"5930699".PN.	USPAT	OR	OFF	2005/05/02 07:21
S74	0	(Mukherjee) and (10/279310)	USPAT	OR	OFF	2005/05/02 07:22
S75	356	(Mukherjee) and (10/279, "310")	USPAT	OR	OFF	2005/05/02 07:25
S76	0	(Mukherjee) and (10/279310)	USPAT	OR	OFF	2005/05/02 07:26
S77	0	(Mukherjee) and ("20040081118")	USPAT	OR	OFF	2005/05/02 07:26
S78	0	(Mukherjee) and ("2004/0081118")	USPAT	OR	OFF	2005/05/02 07:26
S79	4006	(device PDA (cell near2 phone) (mobile)) near4 (request\$5 command\$5 demand\$5) near4 (location coordinat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:54
S80	12	(device PDA (cell near2 phone) (mobile)) near4 (request\$5 command\$5 demand\$5) near4 (location coordinat\$5) and (signature) near4 (code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:51
S81	2	(device PDA (cell near2 phone) (mobile)) near4 (request\$5 command\$5 demand\$5) near4 (location) near4 (coordinat\$5 information) and (signature) near4 (code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:52

S82	106	(device PDA (cell near2 phone) (mobile)) near4 (request\$5 command\$5 demand\$5) near4 (coordinat\$5 information) and (signature) near4 (code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:52
S83	1244	(device PDA (cell near2 phone) (mobile)) near2 (request\$5 command\$5 demand\$5) near2 (location: coordinat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:54
S84	41	(device PDA (cell near2 phone) (mobile)) adj(request\$5 command\$5 demand\$5)adj(location coordinat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:17
S85	0	(device PDA (cell near2 phone) (mobile)) adj(request\$5 command\$5 demand\$5)adj(spatial coordinat\$5) adj (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:18
S86	6	(request\$5 command\$5 demand\$5)adj(spatial coordinat\$5) adj (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:23
S87	0	(request\$5 command\$5 demand\$5 access\$5)near4 (simultaneosu\$5 concurrent\$5) near5 (spatial coordinat\$5) near4 (location) near4 (information data) near4 (several multiple various) near4 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:33
S88	0	(request\$5 command\$5 demand\$5 access\$5)near4 (spatial coordinat\$5) near4 (location) near4 (information data) near4 (several multiple various) near4 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:20
S89	6	(request\$5 command\$5 demand\$5 access\$5) near4 (spatial coordinat\$5) near4 (information data) near4 (several multiple various) near4 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:32
S90	0	(several multiple various plural\$5) near4 (spatial adj location adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:04
S91	4	(spatial adj location adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:33
S92	2	("5323394".pn.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:31
S93	119	(several multiple various: plural\$5) near4 (location: adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 09:33
S94	1	("5613122").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 10:20
S95	1	"6542819".PN	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 11:20
S96	4	("5488559" "5906655" "5982324" "6160837").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 10:21

S97	6	(request\$5 command\$5 demand\$5 access\$5 broadcast\$5) near4 (spatial coordinat\$5) near4 (information data) near4 (several multiple various) near4 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:33
S98	0	(broadcast\$5) near3 (request\$5 command\$5 demand\$5 access\$5) near4 (simultaneosu\$5 concurrent\$5) near5 (spatial coordinat\$5) near4 (location) near4 (information data) near4 (several multiple various) near4 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:58
S99	0	(broadcast\$5) near3 (request\$5 command\$5 demand\$5 access\$5) near4 (location spatial) near4 (information data) near4 (several multiple various) near4 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:34
S10 0	1	(broadcast\$5) near3 (request\$5 command\$5 demand\$5 access\$5) near4 (location spatial) near5 (several multiple various) near4 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:34
S10 1	2	(broadcast\$5) near3 (request\$5 command\$5 demand\$5 access\$5) near4 (location spatial) near5 (several multiple various plural\$5) near4 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:35
S10 2	0	(Intermediar\$5 junction\$5) near4 (node server) near (insert\$5 add\$5) near4 (location) near4 (data field information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:49
S10 3	1	(mobile) near5 (geolocation geoposition) near4 (resolut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:53
S10 4	16	(geolocation geoposition) near4 (resolut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:53
S10 5	0	(broadcast\$5) near3 (request\$5 command\$5 demand\$5 access\$5) near4 (simultaneosu\$5 concurrent\$5) near5 (spatial coordinat\$5) near4 (location) near4 (information data) near4 (several multiple various) near4 (servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:59
S10 6	0	(broadcast\$5) near3 (request\$5 command\$5 demand\$5 access\$5) near4 (simultaneosu\$5 concurrent\$5) near5 (information data) near4 (several multiple various) near4 (servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:59
S10 7	19	(request\$5 command\$5 demand\$5 access\$5) near4 (simultaneosu\$5 concurrent\$5) near5 (information data) near4 (several multiple various) near4 (servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:00
S10 8	0	(request\$5 command\$5 demand\$5 access\$5) near4 (geolocation) near5 (information data) near4 (several multiple various) near4 (servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:00
S10 9	0	(request\$5 command\$5 demand\$5 access\$5) near4 (geolocation) near5 (information data) near4 (several multiple various plural\$5) near4 (servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:02

S11 0	0	"701"/\$.cccls. and (request\$5 command\$5 demand\$5 access\$5)near4 (geolocation) near5 (information data) near4 (several multiple various plural\$5) near4 (servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:02
S11 1	0	"701"/213,214.cccls. and (geolocation) near5 (information data) near4 (several multiple various plural\$5) near4 (servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:03
S11 2	0	"701"/213,214.cccls. and (geolocation geoposition) near5 (information data) near4 (several multiple various plural\$5) near4 (servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:03
S11 3	1949	701/213,214.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:08
S11 4	0	S113 and (several multiple various plural\$5) near4 (spatial adj location adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:04
S11 5	0	S113 and (spatial adj location adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:04
S11 6	0	S113 and (several multiple various plural\$5) near4 (spatial near3 location near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:04
S11 7	1	S113 and ((several multiple various plural\$5) near4 (spatial position mobile) near3 location near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:05
S11 8	8	("5444444" "5470233" "5570100" "5699244" "5732074" "5790974" "5808565" "5938721").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 11:06
S11 9	0	701/213,214.cccls.and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:08
S12 0	243	(collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5)adj((mobile cell PDA) adj (client location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:14
S12 1	745	(mobile near2 location near2 center)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:14
S12 2	400	(mobile adj location adj center)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:14
S12 3	46	(mobile adj location adj center) same (location near2 (token field data header))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:15

S12 4	1	"5570100".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 11:54
S12 5	57	(nitin:near2 C near2:patel).xa	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 11:57
S12 6	1539244	(navigat\$5 guid\$5) near4 (mobile near3 (device user))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 11:57
S12 7	780	(navigat\$5 guid\$5) near4 (mobile near3 (device user))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 11:58
S12 8	0	(navigat\$5 guid\$5) with (dynamic\$ near4 updat\$5 upgrad\$5) near5 (mobile near3 (device user))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 12:00
S12 9	545	(navigat\$5 guid\$5) with (dynamic\$ near4 updat\$5 upgrad\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 12:00
S13 0	180	S129 and (locat\$5 near4 (data filed token))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 12:01
S13 1	0	S129 and (locat\$5 near4 (token))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 12:01
S13 2	185	S129 and locat\$5 near4 (data field)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 12:10
S13 3	1	"5933100".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 13:25
S13 4	1	"6012012".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 12:12
S13 5	1	"6216085".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 12:13
S13 6	1	"6336072".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 12:15
S13 7	1	"5819201".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 12:16
S13 8	1	"6119095".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 12:16
S13 9	1	"6480783".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 12:16
S14 0	1	"6317685".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 12:50
S14 1	0	(revis\$5 updat\$5)near4 (spatial coordinat\$5) near4 (location) near4 (information data) near4 (several multiple various) near4 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:21
S14 2	0	(revis\$5 updat\$5)near4 (geolocation) near4 (information data) near4 (several multiple various) near4 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:21
S14 3	35	(revis\$5 updat\$5)near4 (spatial coordinat\$5) near4 (location) near4 (information data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 12:21

S14 4	4	("5488559" "5906655" "5982324" "6160837").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 12:37
S14 5	8	("5444444" "5470233" "5570100" "5699244" "5732074" "5790974" "5808565" "5938721").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 12:37
S14 6	1	"5872931".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/06 13:25
S14 7	0	(dynamic\$5 real-time) near5 (updat\$5 inform\$5) near5 (mobile) near5 (client user device vehicle) near5 (plural\$5 multipl\$5 several\$5) near5 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 16:44
S14 8	2	(dynamic\$5 real-time) near10 (updat\$5 inform\$5) near10 (mobile) near10 (client user device vehicle) near10 (plural\$5 multipl\$5 several\$5) near10 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:48
S14 9	12	("5293163" "5938721" "5946687" "6014090" "6047327" "6122520" "6144318" "6151624" "6154172" "6154745" "6199099" "6381603").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/12 16:52
S15 0	189	(updat\$5 inform\$5) near10 (mobile) near10 (client user device vehicle) near10 (plural\$5 multipl\$5 several\$5) near10 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:53
S15 1	20	intermediary near5 location near4 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:07
S15 2	0	intermediary near5 mobile near5 location near4 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:07
S15 3	24	intermediary near5 mobile near4 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:07
S15 4	38	("4445118" "4601005" "4622557" "4701934" "4785463" "4797677" "4959656" "4998111" "5043736" "5119102" "5202829" "5223844" "5225842" "5271034" "5311194" "5317323" "5323163" "5365450" "5379047" "5379224" "5379320" "5416797" "5418538" "5420592" "5430759" "5483549" "5519403" "5543789" "5636122" "5652570" "5663734" "5757916" "5928306" "6014090" "6070078" "6199045" "6240360" "6331825").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/13 10:14
S15 5	2	"6636873".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:30
S15 6	3	(mobile) near5 (client user device vehicle) near5 (signature near2 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 12:23
S15 7	15	(mobile) near5 (client user device vehicle) same (signature near2 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 12:24
S15 8	1	"6236866".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 13:09

S15 9	871	(location near4 code) and (CDMA)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 13:11
S16 0	111	(location near4 code) same (CDMA)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 13:10
S16 1	0	(location near4 signature near3 code) same (CDMA)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 13:10
S16 2	103	(location adj code) and (CDMA)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 13:11
S16 3	13	(location adj code) same(CDMA)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 13:13
S16 4	1468	((signature PN pseudonoise) adj code) same(CDMA)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 13:14
S16 5	59	((signature PN pseudonoise) adj code)near2 (locat\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 14:13
S16 6	44	(pseudorang\$5 adj Mobile)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 15:19
S16 7	2	(09/778562) and (cohen)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 15:20
S16 8	1	"5991735".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 16:34
S16 9	40	(track\$5) near4 (frame adj (ID identifier))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 15:37
S17 0	1	"5874914".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 16:35
S17 1	1	"5841396".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 16:35
S17 2	21	(MS mobile) near5 (location position) near5 (updat\$5) near5 (repeat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:02